

Ring terminals

Vinyl-insulated ring terminals



Extra-length PVC sleeve offers extra protection.

Vinyl-insulated ring terminals

Cat. no.	Wire Pkg. qty.	Max. ins. range (AWG)	Bolt ins. hole (in.)	Dimensions (in.)	Stock thick. (in.)	Rec. tool			
							A	B	C
18RA-4	100	22-16	0.150	#4 ERG4001	0.97 0.31 0.27 0.81	0.03			
RA77	1,000	22-16	0.150	#4	0.97 0.31 0.27 0.81				
18RA-6	100	22-16	0.150	#6	0.94 0.25 0.27 0.81				
RA857	1,000	22-16	0.150	#6	0.94 0.25 0.27 0.81				
18RA-8	100	22-16	0.150	#8	0.97 0.31 0.27 0.81				
RA867	1,000	22-16	0.150	#8	0.97 0.31 0.27 0.81				
18RA-10	100	22-16	0.150	#10	0.97 0.31 0.27 0.81				
RA877	1,000	22-16	0.150	#10	0.97 0.31 0.27 0.81				
18RA-14	100	22-16	0.150	1/4	1.13 0.50 0.37 0.88				
RA717	1,000	22-16	0.150	1/4	1.13 0.50 0.37 0.88				
18RA-516	100	22-16	0.150	5/16	1.13 0.50 0.37 0.88				
RA727	1,000	22-16	0.150	5/16	1.13 0.50 0.37 0.88				
18RA-38	100	22-16	0.150	3/8	1.24 0.54 0.37 0.91				
RA737	1,000	22-16	0.150	3/8	1.24 0.54 0.37 0.91				
14RB-4	100	18-14	0.170	#4	0.94 0.25 0.27 0.81	0.03			
RB1327	1,000	18-14	0.170	#4	0.94 0.25 0.27 0.81				
14RB-6	100	18-14	0.170	#6	0.97 0.31 0.27 0.81				
RB857	1,000	18-14	0.170	#6	0.97 0.31 0.27 0.81				
14RB-8	100	18-14	0.170	#8	0.97 0.31 0.27 0.81				
RB867	1,000	18-14	0.170	#8	0.97 0.31 0.27 0.81				
14RB-10	100	18-14	0.170	#10	0.97 0.31 0.27 0.81				
RB877	1,000	18-14	0.170	#10	0.97 0.31 0.27 0.81				
14RB-14	100	18-14	0.170	1/4	1.14 0.50 0.38 0.89				
RB717	1,000	18-14	0.170	1/4	1.14 0.50 0.38 0.89				
14RB-516	100	18-14	0.170	5/16	1.15 0.50 0.38 0.89				
RB727	1,000	18-14	0.170	5/16	1.15 0.50 0.38 0.89				
14RB-38	100	18-14	0.170	3/8	1.16 0.54 0.38 0.91				
RB737	1,000	18-14	0.170	3/8	1.16 0.54 0.38 0.91				



Cat. no.	Wire Pkg. qty.	Max. ins. range (AWG)	Bolt ins. hole (in.)	Dimensions (in.)	Stock thick. (in.)	Rec. tool			
							A	B	C
10RC-6	50	12-10	0.210	#6 ERG4001	1.06 0.31 0.27 0.90	0.04			
RC337	500	12-10	0.210	#6	1.06 0.31 0.27 0.90				
10RC-8	50	12-10	0.210	#8	1.06 0.31 0.27 0.90				
RC777	500	12-10	0.210	#8	1.06 0.31 0.27 0.90				
10RC-10	50	12-10	0.210	#10	1.06 0.31 0.27 0.90				
RC367	500	12-10	0.210	#10	1.06 0.31 0.27 0.90				
10RC-14	50	12-10	0.210	1/4	1.16 0.50 0.27 0.90				
RC717	500	12-10	0.210	1/4	1.16 0.50 0.27 0.90				
10RC-516	50	12-10	0.210	5/16	1.17 0.50 0.37 0.92				
RC707	500	12-10	0.210	5/16	1.17 0.50 0.37 0.92				
10RC-38	50	12-10	0.210	3/8	1.29 0.59 0.44 0.99				
RC737	500	12-10	0.210	3/8	1.29 0.59 0.44 0.99				

Diagram

