



Drop Opal*
21 PW Shower/
Closet Light
21 WH
IC: 40W A19
TC: 75W A19



Drop Opal with Reflector*
241 PW Shower/
Closet Light
241 WH
IC: 60W A19
TC: 100W A19



Frosted Lens with Clear Center Shower Trim
242 ABZ
242 SC
242 WH
IC: 75W PAR38,
60W PAR38 IR
TC: 120W PAR38



Fresnel
22 WH
IC: 40W A19
TC: 75W A19



Frosted Lens with Reflector
239 WH
IC2: 40W A19,
35W PAR30L
TC2: 100W A19
TC2R: 75W A19



Decorative



Metal Band*
9524 SC
65W BR30
6½" Ring
5½" Aperture



Luminous Disc (Frosted)*
9324 SC
65W BR30
3¼" Aperture



Fluted Drop Opal*
9900 WH
IC: 60W A19
TC: 75W A19



Octagonal*
9024 WWH White
65W BR30
5¼" Aperture



Luminous Collar (Frosted)*
9702
65W BR30
6¾" Aperture



Decorative Swirled Etched Opal Glass
243 WH
IC: 60W A19;
TC: 100W A19



Housing Accessories

Catalog Number	Description
TR6 ABZ	6" Trim Ring compatible with 244, 247, 264, 267 and 9900 trims
TR6 SC	
TR6 WH	
TR6 BL	

Trim Ring Finishes

ABZ	Classic Aged Bronze
SC	Satin Chrome
PW	Plastic White (Polycarbonate material shower trim)
WH	White
BL	Black

- * Trim may be used with TC2R housing adjusted in lowest (5¼") height position.
 ** Supplied with magnetic transformer.
 *** Use dimmers specifically designed for low voltage magnetic transformers.





A-Lamp Downlights



PAR30 Adjustable Tapered Baffle
264 WWH White
264 BWH Black
50W PAR30
5 1/4" Aperture



A-Lamp Reflector
231 CWH Clear Alzak®
231 GWH Gold Alzak®
231 WWH Gloss White
60W A19
5 1/2" Aperture



Metal Band
9524 SC
65W BR30, 50W PAR30,
75W PAR30L
6 1/2" Ring
5 1/2" Aperture



Frosted Lens with Clear Center
242 ABZ
242 SC
242 WH
45W PAR38



Drop Opal with Reflector Shower Trim
241 PW Shower/
Closet Light
241 WH
40W A19



PAR30 Adjustable Tapered Cone
267 BWH Black Alzak®
267 CWH Clear Alzak®
267 GWH Gold Alzak®
267 HZWH Haze
267 WHZWH
Wheat Haze
50W PAR30
5 1/4" Aperture



Luminous Disc (Frosted)
9324 SC
65W BR30, 50W PAR30
3 1/4" Aperture



Octagonal
9024 WWH
65W BR30, 50W PAR30
5 1/4" Aperture

Lensed



Frosted Lens with Reflector
239 WH
40W A19,
35W PAR30L



Luminous Collar (Frosted)*
9702
65W BR30, 50W PAR30, 75W PAR30L
6 3/8" Aperture

Housing Accessories

Catalog Number	Description
ALG6	Energy Conserving Gasket for 6" New Construction Air-Loc® IC Housings
ALG6R	Energy Conserving Gasket for 6" Remodel Air-Loc® IC Housings
TR6 ABZ, TR6 SC, TR6 WH, TR6 BL	6" Trim Ring compatible with 24, 25, 27, 244 and 247 trims

Trim Ring Finishes

ABZ Classic Aged Bronze	WH White
SC Satin Chrome	BL Black
PW Plastic White (Polycarbonate material shower trim)	

* Trim may be used with TC2R housing adjusted in lowest (5 1/4") height position.



A-Lamp Downlights



A-Lamp Reflector
 232 CWH Clear Alzak®
 232 GWH Gold Alzak®
 232 HZWH Haze
 232 WWH Gloss White
 232 WHZWH Wheat
 Haze
 60W A19
 5½" Aperture



A-Lamp Reflector with Black Baffle
 233 CWH Clear Alzak®
 40W A19
 5½" Aperture



Economy A-Lamp Reflector with Black Baffle (IC23 Series only)
 230C WWH Clear w/ White Baffle
 230 CBWH Clear w/ Black Baffle
 40W A19
 5½" Aperture

Wall Wash



Scoop
 261 WWH White Baffle
 261 BWH Black Baffle
 40W A19

Lensed



Drop Opal with Reflector Shower Trim
 241 PW Shower/ Closet Light
 241 WH
 40W A19



Frosted Lens with Reflector
 239 WH
 40W A19,
 35W PAR30L



Housing Accessories

Catalog Number	Description
ALG6	Energy Conserving Gasket for 6" New Construction Air-Loc® IC Housings
TR6 ABZ, TR6 SC, TR6 WH, TR6 BL	6" Trim Ring compatible with 244 and 247 trims

Trim Ring Finishes

ABZ Classic Aged Bronze	WH White
SC Satin Chrome	BL Black
PW Plastic White (Polycarbonate material shower trim)	

* Wet location approved when used with outdoor rated lamps.

6" Shallow Universal Housings



IC Housing

Energy-efficient, Air-Loc® housing can be covered with insulation. Includes Real Nail® 3 bar hangers.

IC21 6" IC Shallow New Construction Housing
IC21 G with pre-installed Air-Loc gasket

13 $\frac{1}{8}$ " L x 7 $\frac{1}{2}$ " W x 5 $\frac{3}{4}$ " H
 Ceiling cutout: 6 $\frac{1}{8}$ "



IC Remodel Housing

Energy-efficient, Air-Loc® housing can be covered with insulation. Installs from below ceiling.

IC21R 6" IC Shallow Remodel Housing

13 $\frac{3}{4}$ " L x 7 $\frac{5}{16}$ " W x 5 $\frac{3}{4}$ " H
 Ceiling cutout: 6 $\frac{3}{4}$ "

6" Shallow Universal Trims

Downlights



Shallow Baffle
244S WWH White
244S BWH Black
 50W PAR30, 75W PAR30L
 65W BR30
 5 $\frac{1}{4}$ " Aperture



Shallow Cone
247S BWH Black Alzak®
247S CWH Clear Alzak®
247S GWH Gold Alzak®
247S HZWH Haze
247S WHZWH Wheat Haze
 75W PAR30, 75W PAR30L,
 65W BR30
 5 $\frac{1}{4}$ " Aperture



BR30 Open Frame
250 ABZ
250 SC
250 WH
 65W BR30
 4" Aperture


Adjustables




R/PAR20 Regressed Eyeball
228 WH
 50W R/PAR20



R/PAR20 Eyeball in Baffle
248 WWH White
 50W R/PAR20



PAR/BR30 Regressed Eyeball
229 ABZ
229 BL
229 SC
229 WH
 75W PAR30L, 65W BR30



PAR/BR30 Regressed Eyeball in Baffle
249 WWH White
249 BWH Black
 75W PAR30L, 65W BR30

Lensed



Drop Opal with Reflector
241 PW Shower/
 Closet Light
241 WH
 40W A19



Housing Accessories

Catalog Number	Description
ALG6	Energy Conserving Gasket for 6" New Construction Air-Loc® IC Housings
TR6 ABZ, TR6 SC, TR6 WH, TR6 BL	6" Trim Ring compatible with 244 and 247 trims

Trim Ring Finishes

ABZ Classic Aged Bronze
SC Satin Chrome
PW Plastic White (Polycarbonate material shower trim)
WH White
BL Black