

La legrand®


PlugTail® Decorator Specification Grade Switches

PT2626W


PlugTail® Switches

- A. Auto-ground clip assures positive ground.
- **B.** Heavy-gauge steel strap for superior strength.
- **C. No exposed terminals** create a finger-safe application before, during, and after installation.
- D. Built-in connector features large brass terminal blades to ensure consistent, reliable electrical connections.
- E. Large brass contacts snugly terminate on device blade terminals. Audible snapping latch assures connection, allows release.
- F. Polycarbonate connector housing secures terminations and conductors in a UL Listed, finger-safe housing.
- **G. WAGO push-in connectors** are available to further speed up installation.

Shallow design for easier installation.










SWITCHES

radiant® Illuminated & Self-Grounding Paddle Switches 15A, 120 & 120/277VAC





The radiant® collection is a step up from the standard with simple, classic options in wiring devices, home automation controls, and screwless wall plates that complement today's homes and hospitality settings.

Features

- Part of the radiant® collection.
- Smooth paddle action.
- White LED indicator light is centered at the top of the frame for easy detection in the dark.
- High-impact resistant thermoplastic construction.
- External screw-pressure-plate back and side wired. Accepts #12 and #14 AWG.
- Push wire #14 AWG.
- Narrow back body leaves more room for wires in the box.
- Extra-long, through-body strap eliminates floating installations and imperfect applications.
- Easy-access green hex head ground screw.
- Tri-drive ground, terminal and mounting screws.
- Self-grounding models provide automatic ground clip.

				3rd PARTY COMPLIANCE	
	RATING			(II)	€P:
CATALOG NUMBER	A.	VAC	COLOR	UL20	C22.2 111
SINGLE POLE ILLUMINAT	ED RADIA	NT® SWITCHE	S GROUNDING (LIGHTED	WHEN OFF)	
TM870ISL	15	120	Ivory	•	•
TM870WSL	15	120	White	•	•
TM870LASL	15	120	Light Almond	•	•
SELF-GROUNDING SINGL	E POLE RA	ADIANT® SWIT	CHES		
TM870SI	15	120/277	lvory	•	•
TM870SW	15	120/277	White	•	•
TM870S	15	120/277	Brown	•	•
TM870SBK	15	120/277	Black	•	•
TM870SLA	15	120/277	Light Almond	•	•
THREE-WAY ILLUMINATE	D RADIAN	IT® SWITCHES	GROUNDING (LIGHTED	WHEN OFF)	
TM873ISL	15	120	lvory	•	•
TM873WSL	15	120	White	•	•
TM873LASL	15	120	Light Almond	•	•
SELF-GROUNDING THREE	E-WAY RA	DIANT® SWITC	HES		
TM873SI	15	120/277	lvory	•	•
TM873SW	15	120/277	White	•	•
TM873S	15	120/277	Brown	•	•
TM873SBK	15	120/277	Black	•	•
TM873SLA	15	120/277	Light Almond	•	•
FOUR-WAY ILLUMINATED	RADIANT	C® SWITCHES	GROUNDING (LIGHTED W	/HEN OFF)	
TM874ISL	15	120	lvory	•	•
TM874WSL	15	120	White	•	•
TM874LASL	15	120	Light Almond	•	•
SELF-GROUNDING FOUR	WAY RAD	IANT® SWITCH	IES		
TM874SI	15	120/277	lvory	•	•
TM874SW	15	120/277	White	•	•
TM874S	15	120/277	Brown	•	•
TM874SBK	15	120/277	Black	•	•
TM874SLA	15	120/277	Light Almond	•	•

SWITCHES

A-15



DEVICES & WALL PLATES

Color Selection Chart

Devices & Plastic Wall Plate Colors



See specific device and wall plate catalog charts for particular color availabilities.


Metal Wall Plates

Metal Finish



Custom Metal Wall Plates Paint Finish Colors

Paint Color



To order custom metal wall plates, see Pages S-40 - S-44.

 $\label{prop:consult} For additional colors consult factory.$