


CCBB SERIES™ BALLROOM FLOOR BOXES


CCBB Series Floor Boxes Steel Standard Device Plate Installation Information

Multi-Gang Mounting Brackets Used with Standard Device Plates




CCBB Floor Boxes Steel Standard Device Plates Ordering Information

RFB119-SB, RFB119-2SB, RFB119-3SB Blank Device Plate




One-, two- and three-gang blank device plates in sectional (SB) widths.

RFB119-SR1, RFB119-SR2, RFB119-SR3 Single Receptacle Device Plates




One-gang device plates in standard (SR) widths. SR1 has an opening of 1.39" (35.31mm). SR2 has an opening of 1.59" (40.39mm). SR3 has a 2.14" (54.36mm) opening.

RFB119-GFI, RFB119-3GFI GFI Receptacle Device Plates




One- and three-gang device plates in standard (GFI) widths.

CCBBS-DIV Relocatable Divider




Provides separation for services. Includes Divider and two (2) different size plates.

RFB119-D, RFB119-3D Duplex Receptacle Device Plates



One- and three-gang device plates in standard (D) widths.

RFB119-MAAP Device Plate




















One-gang standard device plate. Holds four (4) Legrand AVIP or Extron- Electronics MAAP devices.

AUDIO/VIDEO COMPATIBILITY

Quick Selection Guide


Floor Boxes

Product Line	Compatible A/V Device Plates			
Resource RFB® Series				
RFB4E Series 	RFB6-AAP Device Plate with Extron® Electronics AAP opening. 	RFB6EXT Device Plate accepts three (3) Wiremold AVIP or Extron® Electronics MAAP Devices. 	RFB6GFI Device Plate with GFCI or decorator style opening for open A/V devices such as Extron® Electronics, Crestron® and Atinex® Intera. 	
	RFB6RT Device Plate with adapter to accept two (2) Ortronics® Series II Devices. 			
	For compatible Series II/CM2 devices, see the Communications Connectivity Section.			
RFB6, RFB6E Series 	RFB6-AAP Device Plate with Extron® Electronics AAP opening. 	RFB6EXT Device Plate accepts three (3) Wiremold AVIP or Extron® Electronics MAAP Devices. 	RFB6GFI Device Plate with GFCI or decorator style opening for open A/V devices such as Extron® Electronics, Crestron® and Atinex® Intera. 	
	RFB6RT Device Plate with adapter to accept two (2) Ortronics® Series II Devices. 			
	For compatible Series II/CM2 devices, see the Communications Connectivity Section.			
RFB9 & RFB11 Series 	RFB119-GFI Device Plate with GFCI or decorator style opening for open A/V devices such as Extron® Electronics, Crestron® and Atinex® Intera. 	RFB119-3GFI Device Plate with three (3) GFCI or decorator style openings for open A/V devices such as Extron® Electronics, Crestron® and Atinex® Intera. 	RFB119-SGFI Device Plate with GFCI or decorator style opening for open A/V devices such as Extron® Electronics, Crestron® and Atinex® Intera. 	
	RFB119-XLR Device Plate with two (2) openings to accept microphone devices. 	RFB119-SXLR Device Plate with two (2) openings to accept microphone devices. 	RFB119-MAAP One-gang standard device plate. Holds four (4) Wiremold AVIP or Extron Electronics MAAP devices. 	

OmniBox™ Series




828-MAAP
Device Plate for mounting Wiremold AVIP or Extron® Electronics MAAP Devices using 828GFI Covers. For use with 828GFI TC or 828GFI TCAL Cover Plates (sold separately).



880W Series™



828-MAAP
Device Plate for mounting Wiremold AVIP or Extron® Electronics MAAP Devices using 828GFI Covers. For use with 828GFI TC or 828GFI TCAL Cover Plates (sold separately).



NOTE: Wiremold manufactures many additional pathway solutions. Those represented here have been designed/modified to provide the depth behind the plate required for most A/V devices. For additional design and installation considerations, please contact the factory.

designed to be better.