


RATCHET-PRO™ SERIES FLOOR BOXES

Ratchet-Pro Series Floor Box Cover Plate Ordering Information

Brass/Brushed Aluminum Duplex Cover Plate




PART NUMBERS:

895 (Brass)

895TCAL (Brushed Aluminum)

With flip lids, 5 1/2" (140mm) diameter for carpet.


896 Brass Communication or Power Cover Plate



With 2 5/8" (67mm) threaded opening, 5 1/2" (140mm) diameter for carpet.

NOTE: Sold without abandon plug.

Brass/Brushed Aluminum Duplex Cover Plate




PART NUMBERS:

895T (Brass)

895TAL (Brushed Aluminum)

With flip lids, 4 1/4" (105mm) diameter for tile.


896T Brass Communication or Power Cover Plate



With 2 5/8" (67mm) threaded opening, 4 1/4" (108mm) diameter for tile.

NOTE: Sold without abandon plug.

Brass/Brushed Aluminum Cover Plate



PART NUMBERS:


895SP (Brass)

895SPCAL (Brushed Aluminum)

With two screw plug openings, 5 1/2" [140mm] diameter for carpet.


NOTE: Screw plug openings are 1 1/2" (38mm) - 16 tapped openings.

896CK Brass Communication or Power Cover Plate



With 2 1/4" (57mm) threaded opening, 5 1/2" (140mm) diameter for carpet.


895TSP Brass Cover Plate



With two screw plug openings, 4 1/4" (108mm) diameter for tile.


NOTE: Screw plug openings are 1 1/2" (38mm) - 16 tapped openings.

896TCK Brass Communication or Power Cover Plate



With 2 1/4" (57mm) threaded opening, 4 1/4" (108mm) diameter for tile.

Brass/Brushed Aluminum GFI Receptacle Cover Plate




PART NUMBERS:

895GFI (Brass)

895GFICAL (Brushed Aluminum)

5 1/2" (140mm) diameter for carpet.

Brass/Brushed Aluminum Cover Plate




PART NUMBERS:

896CK-1/2 (Brass)

896CKAL-1/2 (Brushed Aluminum)

With 1/2" (12.7mm) threaded opening, 5 1/2" (140mm) diameter for carpet.

Brass/Brushed Aluminum GFI Receptacle Cover Plate




PART NUMBERS:

895TGFI (Brass)

895TGFIAL (Brushed Aluminum)

4 1/4" (108mm) diameter for tile.

Brass/Brushed Aluminum Cover Plate



PART NUMBERS:

896TCK-1/2 (Brass)

896TCKAL-1/2 (Brushed Aluminum)


With 1/2" (12.7mm) threaded opening, 4 1/4" (108mm) diameter for tile.

NOTE: All cover plates are furnished with gasket and three screws.
The 895P Polycarbonate Series Cover Plates must be field modified for dual service.

880 SERIES™ FLOOR BOXES

880 Series Floor Box Cover Plates Ordering Information


Duplex Cover Plate with Flip Lid


PART NUMBERS:

895 (Brass)
895TCAL (Brushed Aluminum)

Duplex cover plate with flip lids, 5 1/2" (140mm) for carpet.


Aluminum Duplex Power Plate


PART NUMBERS:

895TGFI (Brass)
895TGFIAL (Brushed Aluminum)

GFI receptacle cover plate, 4 1/4" (108mm) for tile.


Aluminum Duplex Cover Plate


PART NUMBERS:

895TCAL-BK (Black)
895TCAL-GY (Gray)
895TCAL-NK (Nickel)
895TCAL-BS (Brass)
895TCAL-BZ (Bronze)

With flip lids, 5 1/2" (140mm) diameter for carpet. All finishes are powder-coated.


Nonmetallic Duplex Power Plate


PART NUMBERS:

895P-BLK (Black)
895P-BRN (Brown)
895P-BRZ (Bronze)
895P-AL (Brass)

Polycarbonate duplex cover plate with flip lids for carpet.


Duplex Cover Plate with Flip Lids


PART NUMBERS:

895T (Brass)
895TAL (Brushed Aluminum)


Duplex cover plate with flip lids, 4 1/4" (108mm) for tile.

896 Communication or Power Cover Plate




Brass communication or power cover plate with 2 5/8" (67mm) threaded opening for carpet. Sold without abandon plug.

895SP Cover Plate With Two Screw Plug Openings




Cover plate with two 1 1/2" (38mm) screw plug openings, 5 1/2" (140mm) for carpet.

896T Communications or Power Cover Plate




Brass communications or power cover plate with 2 5/8" (67mm) threaded opening for tile. Sold without abandon plug.

895TSP Cover Plate With Two Screw Plug Openings




Brass cover plate with two 1 1/2" (38mm) screw plug openings, 4 1/4" (108mm) for tile.

896CK Communications or Power Cover Plate



Brass communications or power cover plate with 2 1/4" (57mm) threaded opening for carpet.


GFI Receptacle Cover Plate


PART NUMBERS:

895GFI (Brass)
95GFI (Brushed Aluminum)

GFI receptacle cover plate, 5 1/2" (140mm) for carpet.

896TCK Communications or Power Cover Plate




Brass communications or power cover plate with 2 1/4" (57mm) threaded opening for tile.

861 SERIES™ FLOOR BOXES

861 Series Floor Box Cover Plate Ordering Information


Duplex Cover Plate With Flip Lids


PART NUMBERS:
895 (Brass)

895TCAL (Brushed Aluminum)

Duplex cover plate with flip lids, 5 1/2" (140mm) for carpet.


GFI Receptacle Cover Plate


PART NUMBERS:
895GFI (Brass)

895GFICAL (Brushed Aluminum)

GFI receptacle cover plate, 5 1/2" (140mm) for carpet.


Duplex Cover Plate With Flip Lids


PART NUMBERS:
895T (Brass)

895TAL (Brushed Aluminum)

Duplex cover plate with flip lids, 4 1/4" (108mm) for tile.


GFI Receptacle Cover Plate


PART NUMBERS:
895TGFI (Brass)

895TGFIAL (Brushed Aluminum)

GFI receptacle cover plate, 4 1/4" (108mm) for tile.


Cover Plate With Two Screw Plug Openings


PART NUMBERS:
895SP (Brass)

895SPAL (Brushed Aluminum)

Cover plate with two screw plug openings, 5 1/2" (140mm) for carpet.

Duplex Cover Plate


PART NUMBERS:
895P-BLK (Black)


895P-BRN (Brown)

895P-BRZ (Bronze)

895P-AL (Brushed Aluminum)


Polycarbonate duplex cover plate with flip lids for carpet.

895TSP Cover Plate with Two Screw Plug Openings



Brass cover plate with two screw plug openings, 4 1/4" (108mm) for tile.

Aluminum Duplex Cover Plate


PART NUMBERS:
895TCAL-BK (Black)

895TCAL-GY (Gray)

895TCAL-NK (Nickel)

895TCAL-BS (Brass)

895TCAL-BZ (Bronze)

With flip lids, 5 1/2" (140mm) diameter for carpet. All finishes are powder-coated.

NOTE: All 895 Style Cover Plates are furnished with gasket and three screws.


All carpet cover plates are 5 1/2" (140mm) in diameter.

All tile cover plates are 4 1/4" (108mm) in diameter.

862 SERIES™ FLOOR BOXES

862 Series Floor Box Cover Plate Ordering Information

Duplex Cover Plate With Flip Lids




PART NUMBERS:

895 (Brass)
895TCAL (Brushed Aluminum)

Duplex cover plate with flip lids,
5 1/2" (140mm) for carpet.

GFI Receptacle Cover Plate




PART NUMBERS:

895GFI (Brass)
895GFICAL (Brushed Aluminum)

GFI receptacle cover plate, 5 1/2"
(140mm) for carpet.

Duplex Cover Plate With Flip Lids




PART NUMBERS:

895T (Brass)
895TAL (Brushed Aluminum)

Duplex cover plate with flip lids,
4 1/4" (108mm) for tile.

GFI Receptacle Cover Plate




PART NUMBERS:

895TGFI (Brass)
895TGFIAL (Brushed Aluminum)


GFI receptacle cover plate, 4 1/4"
(108mm) for tile.

895SP Cover Plate With Two Screw Plug Openings



Cover plate with two screw
plug openings, 5 1/2" (140mm)
for carpet.

Duplex Cover Plate




PART NUMBERS:

895P-BLK (Black)
895P-BRN (Brown)
895P-BRZ (Bronze)
895P-AL (Brushed Aluminum)


Polycarbonate duplex cover plate
with flip lids for carpet.

895TSP Cover Plate with Two Screw Plug Openings



Brass cover plate with two screw
plug openings, 4 1/4" (108mm)
for tile.

Aluminum Duplex Cover Plate



PART NUMBERS:

895TCAL-BK (Black)
895TCAL-GY (Gray)
895TCAL-NK (Nickel)
895TCAL-BS (Brass)
895TCAL-BZ (Bronze)


With flip lids, 5 1/2" (140mm)
diameter for carpet. All finishes are
powder-coated.

NOTE: All 895 Style Cover Plates are furnished with gasket and three screws.
All carpet cover plates are 5 1/2" (140mm) in diameter.
All tile cover plates are 4 1/4" (108mm) in diameter.

CRFB SERIES™ FLOOR BOXES

CRFB4 Series Floor Box Ordering Information


CRFB4 CRFB Housing



Die-cast aluminum construction with stamped steel bottom plate. Includes 3 duplex receptacle plates, 1 center communication plate and 3 cable pass through grommets for 1" trade size tunnel.

NOTE: Floor thickness range (including floor covering) 3/8" - 2" [9.5mm 51mm].


Surface Style Cover Assembly with Carpet Insert



PART NUMBERS:
CRFBCTCBK (Black)
CRFBCTCBS (Gray)
CRFBCTCNK (Nickel)
CRFBCTCBZ (Bronze)
CRFBCTCGY (Gray)

Available in die cast aluminum with a painted Black (BK), Brass (BS), Nickel (NK), Bronze (BZ) or Gray (GY) finish. Insert areas allow for tile or carpet cutouts to match finished floor.


Surface Style Cover Assembly without Carpet Insert



PART NUMBERS:
CRFBBTCBK (Black)
CRFBBTCBS (Brass)
CRFBBTCNK (Nickel)
CRFBBTCBZ (Bronze)
CRFBBTCGY (Gray)

Available in die cast aluminum with a painted Black (BK), Brass (BS), Nickel (NK), Bronze (BZ) or Gray (GY) finish. No cutouts are provided for floor coverings.


Tamper-Resistant Surface Style Cover Assembly with Carpet Insert



PART NUMBERS:
CRFBCTCBKTR (Black)
CRFBCTCBSTR (Brass)
CRFBCTCNKTR (Nickel)
CRFBCTCBZTR (Bronze)
CRFBCTCGYTR (Gray)


Available in die cast aluminum with a painted Black (BK), Brass (BS), Nickel (NK), Bronze (BZ) or Gray (GY) finish. Lid has built-in key locking feature for tamper resistance. Insert areas allow for tile or carpet cutouts to match finished floor.

CRFB-TUN Tunnel



Tunnel - Tunnel allows the two outer compartments to be utilized for one service while the center two compartments are utilized for other services.


Tamper-Resistant Surface Style Cover Assembly without Carpet Insert



PART NUMBERS:
CRFBBTCBKTR (Black)
CRFBBTCBSTR (Brass)
CRFBBTCNKTR (Nickel)
CRFBBTCBZTR (Bronze)
CRFBBTCGYTR (Gray)


Available in die cast aluminum with a painted Black (BK), Brass (BS), Nickel (NK), Bronze (BZ) or Gray (GY) finish. No cutouts are provided. Lid has built-in key locking feature for tamper resistance.

Surface Style Cover Assembly



PART NUMBERS:
8CTC2GY (Gray)
8CTC2BK (Black)
8CTC2BZ (Bronze)
8CTC2AA (Brushed Aluminum)
8CTC2SB (Gray)
8CTC2SN (Gray)

Each cover is made from die-cast aluminum materials and equipped with a durable hinge which allows the cover to rotate open 180°, two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed, an 8° beveled edge that meet ADA guidelines and reduces tripping hazards. These covers are designed to sit on top of the finished floor surfaces such as: carpet, tile and wood. Available in three (3) aesthetic powder coated finishes: black (BK), gray (GY), and bronze (BZ), and three (3) metal finishes: brushed aluminum (AA), satin brass plated (SB) and satin nickel plated (SN).




NOTE: All surface style poke-thru devices come with a transition angle to aid in the change in floor elevation.

CRFB SERIES™ FLOOR BOXES


CRFB4 Series Floor Box Ordering Information

Tamper-Resistant Surface Style Cover Assembly


PART NUMBERS:


8CTC2GYTR (Gray)
8CTC2BKTR (Black)
8CTC2BZTR (Bronze)
8CTC2AATR (Brushed Aluminum)
8CTC2SBTR (Satin Brass)
8CTC2SNTR (Satin Nickel)

Each cover is made from die-cast aluminum materials and equipped with a tamper-resistant screw to keep out unauthorized personnel, a durable hinge which allows the cover to rotate open 180°, two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed, an 8° beveled edge that meet ADA guidelines and reduces tripping hazards. These covers are designed to sit on top of the finished floor surfaces such as: carpet, tile and wood. Available in three (3) aesthetic powder coated finishes: black (BK), gray (GY), and bronze (BZ), and three (3) metal finishes: brushed aluminum (AA), satin brass plated (SB) and satin nickel plated (SN).




NOTE: All surface style poke-thru devices come with a transition angle to aid in the change in floor elevation.

Flush Style Cover Assembly


PART NUMBERS:


8CT2GY (Gray)
8CT2BK (Black)
8CT2BZ (Bronze)
8CT2AA (Brushed Aluminum)
8CT2SB (Satin Brass)
8CT2SN (Satin Nickel)

Each cover is made from die-cast aluminum materials and equipped with a durable hinge which allows the cover to rotate open 180°, two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed. These covers are designed to sit flush with the finished floor surfaces such as: carpet, tile, and wood. Available in three (3) aesthetic powder coated finishes: black (BK), gray (GY), and bronze (BZ), and three (3) metal finishes: brushed aluminum (AA), satin brass plated (SB) and satin nickel plated (SN).



NOTE: Includes 8TS Tile Shim.

Tamper-Resistant Flush Style Cover Assembly


PART NUMBERS:

8CT2GYTR (Gray)
8CT2BKTR (Black)
8CT2BZTR (Bronze)
8CT2AATR (Brushed Aluminum)
8CT2SBTR (Satin Brass)
8CT2SNTR (Satin Nickel)

Each cover is made from die-cast aluminum materials and equipped with a tamper-resistant screw to keep out unauthorized personnel, a durable hinge which allows the cover to rotate open 180°, two (2) slide egress doors that lock in the open position and auto close around the cables when the covers are closed. These covers are designed to sit flush with the finished floor surfaces such as: carpet, tile, and wood. Available in three (3) aesthetic powder coated finishes: black (BK), gray (GY), and bronze (BZ), and three (3) metal finishes: brushed aluminum (AA), satin brass plated (SB) and satin nickel plated (SN).


NOTE: Includes 8TS Tile Shim.

FIRE CLASSIFIED FLOOR BOXES

880MP Series Floor Boxes

Cover Plates for 881FC Floor Box


Duplex Cover Plate


PART NUMBERS:
895 (Brass)

895TCAL (Brushed Aluminum)

With flip lids, 5 1/2" (140mm) diameter for carpet.


GFI Receptacle Cover Plate


PART NUMBERS:
895TGFI (Brass)

895TGFIAL (Brushed Aluminum)

4 1/4" (108mm) for tile.


Duplex Cover Plate


PART NUMBERS:
895T (Brass)

895TAL (Brushed Aluminum)

With flip lids, 4 1/4" (108mm) for tile.

Aluminum Duplex Cover Plate


PART NUMBERS:
895TCAL-BK (Black)

895TCAL-GY (Gray)


895TCAL-BS (Brass)

895TCAL-NK (Nickel)

895TCAL-BZ (Bronze)

With flip lids, 5 1/2" (140mm) diameter for carpet.

GFI Receptacle Cover Plate


PART NUMBERS:
895GFI (Brass)

895GFICAL (Brushed Aluminum)

5 1/2" (140mm) diameter for carpet.


- NOTE:** 1. All cover plates are furnished with gasket and three screws.
2. Polycarbonate cover plates cannot be used on the 881FC Fire Classified Floor Box.

CAUTION

Installation must comply with NEC and local code conductor volume requirements. Not for use when concrete is the finished floor. Use only for tile, carpet or wood covered floors.

Ratchet-Pro Fire Classified Floor Boxes Installation Cross Section

Concrete:
3 1/4" (83mm) Light Weight
4 1/2" (114mm) Normal Weight



NOTE: UL Listed for tile, terrazzo, polished concrete, wood and carpet floors.