Switches & Motor Controls

Extra Heavy-Duty Specification Grade Key Locking Switches

Features and Benefits

- Heavy-Duty key-operated locking mechanism for maximum tamper-proof operation in schools, institutions, public housing, trailer parks, loading docks, freight yards and other areas
- Chrome lock dome with 2 keys provided per switch
- Large, combination head terminal screws with external clamps
- Triple-combination mounting screws for fast, easy installation
- Heavy-gauge rust-resistant mounting strap with steel grounding screw and self-grounding clip (self grounding when used in a properly grounded metal wallbox)
- Key removable in ON and OFF positions
- Backed by a limited 10-year warranty

Key Locking Switches ⓤ ⓢ

Rating		20A-120/277VAC
Description	**Color**	**Cat. No.**
Single Pole Key Lock Power Switch, 2 keys provided	Chrome	1221-2KL
Double Pole Key Lock Power Switch, 2 keys provided	Chrome	1222-2KL
3-Way Key Lock Power Switch, 2 keys provided	Chrome	1223-2KL
4-Way Key Lock Power Switch, 2 keys provided	Chrome	1224-2KL
Replacement Keys, 2 per pack	—	2KL

Note: Key Lock Power Switches are not recommended for use on Master or Emergency Power Systems

FD/Deep Wallbox

Wallplates and Wallboxes

Description	Cat. No.
302 Stainless Steel comes with tamper-resistant screws and spanner tool	
FD or deep wallbox recommended minimum internal depth	
2 ³/₄" single cover/gang adapter extends shallow wallbox	
Use with stainless wallplate	
1-Gang	84071-40
2-Gang	84072-40
3-Gang	84073-40

84071-40

1221-2KL w/two keys

↪ ↪ **Related Products**
Find the right wallplate for any application. **See section R for Wallplates & Covers.**

Traditional Wallplates

Familiar and functional, Leviton traditional wallplates are designed for use with traditional Leviton devices. They represent styles and form factors that have stood the test of time. Their clean lines work in virtually any location, whether in new or retrofit construction, and they install quickly and easily. Leviton offers traditional wallplates in a vast array of colors and configurations.

Sample Traditional Wallplates

Features and Benefits

All Leviton Wallplates
• Easy to clean, smooth finish
• Non-combustible
• Color-matched metal mounting screws supplied
• UL Listed and CSA Certified
• Conforms to NEMA and ANSI standards
• Backed by a limited 10-year warranty (except thermoset wallplates)

Thermoset (Plastic) Wallplates (Residential Grade)
• Designed for high dielectric strength and arc resistance
• Meets or exceeds UL 514 testing requirements
• Resistant to fading, discoloration, grease, oil, organic solvents, moisture and scratches
• Backed by a limited 2-year warranty

Thermoplastic (Nylon) Wallplates (Residential/Commercial Grade)
• Molded thermoplastic for maximum resistance to impact, abrasion, fading and discoloration
• Resistant to mechanical stress associated with high abuse applications

Metal Wallplates (Commercial Grade)
• Rounded edges to prevent injury and wall damage
• Deluxe stainless steel is non-magnetic Type 302, .032" thick — brushed finish
• Standard stainless steel Type 430, .032" thick, also available — brushed finish
• Brass is 70/30 alloy 260, .040" thick — polished or brushed finish

Antimicrobial Treated Wallplates
• Leviton has developed antimicrobial treated wiring devices to help keep the surfaces of our switches and wallplates cleaner.
• An antimicrobial additive helps to inhibit the growth of mold, mildew, fungi and odor-causing bacteria on the surface of the devices in between normal cleanings

Color Choices

Traditional wallplates are offered in a wide range of colors and finishes. To order colors, add suffix to Cat. No.

|		
White (-W)	Ivory (-I)	Light Almond (-T)
Gray (-G/-GY)	Black (-E)	Brown (-/-B)
Blue (-B)	Orange (-O)	Red (-R)
Brushed Brass	Polished Brass (-PB)	Satin-Finish Stainless Steel
Aluminum	Chrome	

Telephone or Cable Outlet — Strap Mounted

Plastic, Nylon and Metal ⓤ ⓒ

Description	Color	Thermoset (Plastic)*		Thermoplastic (Nylon)*		Metal		
		Cat. No. STANDARD	Cat. No. OVERSIZE	Cat. No. STANDARD	Cat. No. MIDWAY	Material Type	Cat. No. STANDARD	Cat. No. MIDWAY
1-Gang Phone/Cable .406" dia. hole , with knock out to enlarge hole to .625"	White	88018	—	80718-W	PJ11-W			
	Ivory	86018	—	80718-I	PJ11-I			
	Light Almond	—	—	—	PJ11-T			
	Gray	—	—	80718-GY	PJ11-GY			
	Black	—	—	80718-E	PJ11-E			
	Brown	85018	—	80718	PJ11			
1-Gang Phone/Cable .406" dia. hole	White	—	88113	—	—	Non-Magnetic S/S	84018-40	SSJ11-40
	Ivory	—	86113	—	—			
	Gray	—	—	—	—			
	Black	—	—	—	—			
	Brown	—	—	—	—			
1-Gang Phone/Cable .625" dia. hole	White	88037	—	—	—	Non-Magnetic S/S	84037-40	84137-40

* Mounting strap included

Wallplate for Keylock Switches (1221-2kl series)

Type 302 Stainless Steel Wallplate w/Tamper-Resistant Screws and Spanner Tool ⓤ ⓒ

Description	Color	Cat. No.
1-Gang	S/S	84071-40
2-Gang	S/S	84072-40
3-Gang	S/S	84073-40

84071-40

Wallplates & Covers

R