

Type 3 Surge Protective Devices

5100 and 5300 Series Surge Strips



G

Surge Protective Devices (SPDs)

5100 and 5300 Series Type 3 Surge Protective Strips

Leviton's 5100 and 5300 Series surge protected power strips offer superior protection for any commercial, industrial, or hospital application. Our industrial strips feature robust construction, including durable metal housings, while our commercial grade strips feature a durable thermoplastic housing. They are available in two performance levels to address surge protection needs in a variety of commercial and industrial environments. Our hospital version strips feature tamper-resistant hospital grade receptacles.

Features and Benefits

5100 and 5300 Series, 6-Outlet Surge Protective Strips

- Multi-line protection (L-N, L-G, N-G)
- 6 surge protected outlets
- LEDs indicate power and protection status
- Onboard resettable circuit breaker
- Limited lifetime product warranty
- Limited lifetime connected equipment protection policy

5100 and 5300 Series Type 3 Surge Strips

Cat. No.	Application	Maximum Input Current	Joules	Alarm	Enclosure	On/Off Switch	Cord Length
5100-PS	Commercial	15A	720	—	ABS Plastic	Yes	6 ft.
5100-S15			1520				15 ft.
5300-PS			1330				6 ft.
5300-S15			900				15 ft.
5100-IPS	Industrial	20A	1330	Audible at protection loss	Steel	No	6 ft.
5100-IS2			900				15 ft.
5300-IPS			1330				6 ft.
5300-H15			952				15 ft.
5300-HTS	Hospital	15A	952	—			6 ft.



5100-PS

Specifications for 5100 and 5300 Series Type 3 Surge Strips

Cat. No.	5100-IPS	5100-IS2	5300-IPS	5300-H15	5300-HTS	5300-HT2	5100-PS 5100-S15	5300-PS 5300-S15
Series	Industrial/Hospital						Commercial	
Electrical Specifications								
Amperage	15A	20A	15A	15A	15A	20A	15A	15A
Voltage	125VAC							
Frequency	50/60Hz							
Surge Technology	MOV							
Performance Data								
Maximum Continuous Operating Voltage (MCOV)	150V	150V	130V	150V	150V	150V	150V	130V
Joules	1330J	900J	1330J	952J	952J	952J	720J	1520J
Maximum Surge Current, per Mode (L-N)	84kA	45kA	84kA	51kA	51kA	51kA	36kA	96kA
Noise Filtering	-5 to -25dB (@500K-100MHz)							
Voltage Protection Rating (VPR)	600V	600V	500V	500V	500V	500V	500V	500V
	600V	700V	600V	700V	700V	600V	600V	600V
	600V	700V	600V	700V	700V	600V	700V	500V
Warranty								
Product Warranty		Limited 5-year warranty						



5100-IPS



5300-HTS