

# Traditional Receptacles

15A, 20A | Hospital Grade | Industrial




## Hospital Grade Receptacles

Leviton Hospital Grade Receptacles meet or exceed the performance requirements for the coveted UL Hospital Grade listing. They are offered in standard, tamper-resistant, power indication, illuminated and isolated ground versions of Leviton's conventional and Decora Plus™ duplex configurations. Leviton also offers a version specifically designed for use in MRI and other applications exposed to high magnetic fields.


### Features and Benefits

- Smooth face does not collect dirt
- UL 498 listed (HG), CSA and NOM certified
- Meets NEMA WD-1 and 6 and ANSI standards Fed Spec
- Extra Heavy-Duty triple-wipe, brass "T" contacts for superior contact and conductivity
- High-performance brass #10-32 terminal screws to reduce conductor oxidation
- Break-off tabs for easy two-circuit conversion
- Exclusive V-shaped, serrated back-wiring clamps for superior contact
- Power Indication™ provides permanent "green dot" lens with 100,000 hour LED status indicator
- Wire lead receptacles for fast and easy installation
- Back and side wiring options accept #14-#10 AWG stranded or solid wire
- Back and side-wire ground termination brass strap version
- Backed by a limited 10-year warranty

### 8300-SGW



**Color Choices** Hospital straight blade devices are offered in a wide range of colors. To order colors, add suffix to Cat. No.



## Heavy-Duty Hospital Grade Receptacles

### Features and Benefits

#### Extra Heavy-Duty

- Single-piece wraparound nickel-plated brass strap
- Integral ground contacts
- Extra heavy-duty high-performance brass electrical contacts

#### Heavy-Duty

- Single-piece heavy-duty wraparound galvanized steel strap
- Brass ground contacts
- Heavy-duty copper alloy electrical contacts

### Back and Side Wired



#### Rating

15A-125V

15A-250V

20A-125V

20A-250V

NEMA



5-15R



6-15R



5-20R



6-20R

#### Description

#### Color

#### Cat. No.

#### Cat. No.

#### Cat. No.

#### Cat. No.

Heavy-Duty, Duplex

White

C8200-W

—

C8300-W

—

Ivory

C8200-I

—

C8300-I

—

Light Almond

C8200-T

—

C8300-T

—

Gray

C8200-GY

—

C8300-GY

—

Black

C8200-E

—

C8300-E

—

Brown

C8200

—

C8300

—

Red

C8200-R

—

C8300-R

—

Blue

C8200-BU

—

C8300-BU

—

Heavy-Duty, Duplex, Smooth Face

White

8200-HW

—

8300-HW

—

Ivory

8200-HI

—

8300-HI

—

Light Almond

8200-HT

—

8300-HT

—

Gray

8200-HGY

—

8300-HGY

—

Brown

8200-H

—

8300-H

—

Red

8200-HR

—

8300-HR

—

Blue

8200-HBU

—

8300-HBU

—

Yellow

8200-HY

—

—

—

Heavy-Duty, Duplex, Tamper-Resistant

White

T8200-W

—

T8300-W

—

Ivory

T8200-I

—

T8300-I

—

Light Almond

T8200-T

—

T8300-T

—

Gray

T8200-GY

—

T8300-GY

—

Black

T8200-E

—

T8300-E

—

Brown

T8200

—

T8300

—

Red

T8200-R

—

T8300-R

—

Blue

T8200-BU

—

T8300-BU

—

### Back and Side Wired



Heavy-Duty, Duplex, Illuminated

White

8200-HLW

—

8300-HLW

—

Ivory

8200-HLI

—

8300-HLI

—

Gray

—

—

8300-HLG

—

Red

8200-HLR

—

8300-HLR

—

Heavy-Duty, Duplex, with 6" Wire Leads

White

8200-LW

—

8300-LW

—

Ivory

8200-LI

—

8300-LI

—

Gray

8200-LGY

—

8300-LGY

—

Black

—

—

8300-LE

—

Brown

8200-LR

—

8300-LR

—

Red

8200-L

—

8300-L

—



C8200-W



T8200-I



8300-HLW

Continued on next page

## Extra Heavy-Duty Hospital Grade Receptacles

Back and Side Wired/Wire Lead  					
Rating		15A-125V	15A-250V	20A-125V	20A-250V
NEMA					
		5-15R	6-15R	5-20R	6-20R
Description	Color	Cat. No.	Cat. No.	Cat. No.	Cat. No.
Extra Heavy-Duty, Duplex, Smooth Face	White	8200-W	—	8300-W	8400-W
	Ivory	8200-I	8600-I	8300-I	8400-I
	Light Almond	8200-T	—	8300-T	—
	Gray	8200-GY	—	8300-GY	8400-GY
	Black	—	—	8300-E	—
	Brown	8200	—	8300	8400
	Red	8200-R	8600	8300-R	8400-R
	Blue	8200-BU	—	8300-BU	—
Extra Heavy-Duty, Duplex, Tamper-Resistant	White	8200-SGW	—	8300-SGW	—
	Ivory	8200-SGI	—	8300-SGI	—
	Light Almond	—	—	8300-SGT	—
	Gray	8200-SGG	—	8300-SGG	—
	Red	8200-SGR	—	8300-SGR	—
	Brown	8200-SG	—	8300-SG	—
Extra Heavy-Duty, Duplex, Power Indication™	White	8200-PLW	—	8300-PLW	—
	Ivory	8200-PLI	—	8300-PLI	—
	Gray	8200-PLR	—	8300-PLG	—
	Brown	—	—	8300-PL	—
	Red	—	—	8300-PLR	—
	Orange	—	—	8300-PLO	—
Extra Heavy-Duty, Wide Body Duplex, MRI Receptacle	White	MRI82-W	—	MRI83-W	—
	Ivory	MRI82-I	—	MRI83-I	—
	Light Almond	MRI82-T	—	MRI83-T	—
	Gray	MRI82-GY	—	MRI83-GY	—
	Red	MRI82-R	—	MRI83-R	—

**Note:** Single, Slim Design, Illuminated, Power Indication™ and Tamper-Resistant Receptacles meet specifications for UL Hospital Grade listing but have a different construction and design from standard Hospital Grade Duplex Receptacles listed above. There are dimensional differences between 8200-SG and 8300-SG devices. 8200-SG contains a nickel-plated steel yoke with riveted ground contacts. 8300-SG contains a one-piece, nickel-plated brass yoke



8300-E



MRI82-W