


## How to construct a wallplate model number

Use the following steps to order multi-gang, metal, and replacement wallplates

### 1 product code

**NT** Thin profile (D: 0.3in or 7.6 mm)



**N** Wide profile (D: 0.65in or 16.5 mm)



When ganging products together under a common wallplate the product's depth must be the same style (NT or N).

### 2 insert code(s)



The detachable face of the product is called an insert. Each product has its own Insert Code, see pgs. B5–B6 for a complete listing of model numbers and their insert codes.

Select Insert Codes and add to model numbers in left to right order as if looking at the front of the wallplate (see example at the bottom of this page).




Inserts used in a fins broken application.  
From left to right:  
NovaT® (small control)  
Vareo® (small control)  
NovaT® (large control)

**NT-SOL-FB-WH**

**NT-SOL-FB-WH**


## 3 ganging code

### FB



Fins broken


### NFB





No fins broken

Mixing small and large controls

**Correct:** group small and large at either end



**Incorrect:** do not alternate small and large



Determine whether controls need to use maximum load capacity or can be derated. Derating is the reduction of the maximum capacity (load) a unit can reliably handle when fins/side sections are removed. A scored section along each side of the mounting plate/fin is designed to be removed to facilitate ganging.

See pg. 170 for more information about your specific product's derated capacities. Note: If **any** controls are ganged under the same wallplate with no fins broken, then the ganging code is NFB.

## 4 color code

### Available colors

**Colors** (architectural matte finish) (3–5 days)\*

<b>WH</b>	White	<b>GR</b>	Gray
<b>BE</b>	Beige	<b>TP</b>	Taupe
<b>IV</b>	Ivory	<b>BR</b>	Brown
<b>AL</b>	Almond	<b>BL</b>	Black
<b>LA</b>	Light Almond	<b>SI</b>	Sienna

**Metals** (special finishes) (4–6 weeks)†

<b>SB</b>	Satin Brass	<b>SC</b>	Satin Chrome
<b>BB</b>	Bright Brass	<b>SN</b>	Satin Nickel
<b>BC</b>	Bright Chrome	<b>BN</b>	Bright Nickel
<b>QB</b>	Antique Brass	<b>AU</b>	Gold Plated
<b>QZ</b>	Antique Bronze		

### Anodized aluminum

<b>CLA</b>	Clear	<b>BRA</b>	Brass
<b>BLA</b>	Black		

Custom colors and finishes are available by providing Lutron® with a paint color number, swatch, or sample. Lutron can color match your controls. Contact Customer Service at 1.888.LUTRON1.

Multi-gang, screwless, seamless wallplates available—wallplate selector tool at [www.lutron.com/lutron/wallplate](http://www.lutron.com/lutron/wallplate).

CAD file downloads available at [www.lutron.com/technical\\_info/cad](http://www.lutron.com/technical_info/cad).

\*Most matte wallplates ship in 3-5 days; wider wallplates require additional time.

†Consult Lutron® Customer Service for pricing and delivery at 1.888.LUTRON1.

NT-SOL-**FB**-WH

NT-SOL-**FB**-WH

Model Number	Insert Code	Control Size
<b>Vareo®</b>		
V-600-	<b>O</b>	small
V-1000-	<b>O</b>	small
VETN-1000-	<b>K</b>	small
VETS-1000-	<b>K</b>	small
VETS-1000-SL-	<b>H</b>	small
VETS-A-SL-	<b>H</b>	small
VETS-R-	<b>K</b>	small
VF-10-	<b>O</b>	small
<b>Nova T☆®</b>		
NT-1PS-	<b>S</b>	small
NT-3PS-	<b>S</b>	small
NT-4PS-	<b>S</b>	small
NT-600-	<b>S</b>	small
NT-603P-	<b>P</b>	small
NT-1000-	<b>S</b>	small
NT-1003P-	<b>P</b>	small
NT-1500-	<b>L</b>	large
NT-1503P-	<b>U</b>	large
NT-2000-*	<b>TF</b>	large
NT-DPDT-CO-MA-	<b>S</b>	small
NT-DPDT-CO-MO-	<b>S</b>	small
NTA-2-	<b>S</b>	small
NTB-600-	<b>S</b>	small
NTB-1000-	<b>S</b>	small
NTELV-300-	<b>S</b>	small
NTELV-600-	<b>S</b>	small
NTF-10-	<b>S</b>	small
NTF-103P-	<b>P</b>	small
NTFS-6E-	<b>S</b>	small
NTFS-12E-	<b>L</b>	large
NTFSQ-	<b>S</b>	small
NTFTU-5A-	<b>S</b>	small
NTFTV	<b>S</b>	small
NTLV-600-	<b>S</b>	small
NTLV-603P-	<b>P</b>	small
NTLV-1000-	<b>S</b>	small
NTLV-1003P-	<b>P</b>	small
NTLV-1500-	<b>L</b>	large
NTLV-1503P-	<b>U</b>	large

Model Number	Insert Code	Control Size
<b>Accessories</b>		
NT-6PF-	<b>R3<sup>1</sup></b>	small
NT-CJ-	<b>9</b>	small
NT-PJ-	<b>8</b>	small
NT-PJ8CJ-	<b>TE</b>	small
NT-PJ8X2-	<b>TC</b>	small
NT-PJ8X3-	<b>TD</b>	small
NTR-15-	<b>R</b>	small
NTR-15-GFCI-	<b>R3<sup>1</sup></b>	small
NTR-15-IG-OR-	<b>R<sup>1</sup></b>	small
NTR-20-	<b>4</b>	small
NTR-20-GFCI-	<b>R3<sup>1</sup></b>	small
NTR-20-IG-OR-	<b>R<sup>1</sup></b>	small
<b>GRAFIK Eye® Wallstations</b>		
NTGRX-1S-	<b>K</b>	small
NTGRX-2B-SL-	<b>T8</b>	small
NTGRX-4B-	<b>T5</b>	small
NTGRX-4M-	<b>T1</b>	small
NTGRX-4S-	<b>A</b>	small
NTGRX-4S-IR-	<b>A</b>	small
NTGRX-SI4S-IR-	<b>A</b>	small
SG-2BI-	<b>R3</b>	small
SG-4BI-	<b>R3</b>	small
SG-4MI-	<b>R3</b>	small
SG-4NRLI-	<b>R3</b>	small
SG-4SI-	<b>R3</b>	small
SG-4SIRI-	<b>R3</b>	small

### Blank Inserts and Yokes

For each blank ordered, order one yoke to attach wallplate to backbox.

small blank insert **E\*** small  
large blank insert **G\*\*** large



\*small yoke

\*\*large yoke

**NT-YS**

**NT-YL**

\*NT-2000- must use NFB Series only.

<sup>1</sup>Product insert is permanently attached. Order the device in the color desired, wallplate will not have an insert to change the device color in the field.