

FIBERGLASS

MODEL: PT7400-4C Series

STYLE: **STOCKR'S LADDER®††**



LOAD CAPACITY


300 lbs.

Combined weight of user and materials.

Extra Heavy Duty/Professional Use

TYPE IA
DUTY RATING

Orange electrically non-conductive side rails



- Easy to handle and folds to a 12" width for storage
- Unique combination of one person, two person^{††} and platform ladder use
- Internal Pinch-Proof™ aluminum spreaders on 8' and 10' models
- Requires less floor space than heavy steel rolling ladders

SPECIFICATIONS

Model No.	Height to Platform	Size	Approx. Width	Approx. Spread	Approx. Cu. Ft. Per Unit	Approx. Shipping Wt. Lbs.
PT7404-4C	4'	6'	24-5/8"	50"	8.3	43.0
PT7406-4C	6'	8'	28"	64"	12.6	54.0
PT7408-4C	8'	10'	31-5/8"	78-1/4"	17.7	68.0
PT7410-4C	10'	12'	35-1/4"	92-1/4"	23.6	81.0

††Designed for one or two person jobs. Note: When used as a double stepladder, the maximum load per side, including person and materials, shall not exceed the duty rating of ladder.

DIMENSIONS

Platform: 12-3/4" x 22"
Steps: 3-1/4" wide
Rails: 3-3/8" wide
Flange: 1-3/16" wide

FIBERGLASS

MODEL: T7200 Series

STYLE: **MULTI-USE TWIN STEPLADDER††**



LOAD CAPACITY


300 lbs.

Combined weight of user and materials.

Extra Heavy Duty/Professional Use

TYPE IA
DUTY RATING

Yellow electrically non-conductive side rails



* **Energy Diffusing GEometry**

- Every rivet backed up by metal part or washer to protect rails

SPECIFICATIONS

Model No.	Size	Approx. Width	Approx. Spread	Approx. Cu. Ft. Per Unit	Approx. Shipping Wt. Lbs.
T7204	4'	19-7/8"	36-1/8"	4.5	19.0
T7205	5'	21-5/8"	43-1/8"	6.1	23.0
T7206	6'	23-3/8"	50-1/8"	8.0	27.0
T7208	8'	26-7/8"	64-1/8"	12.2	37.0
T7210	10'	28-5/8"	71-1/8"	14.6	55.0
T7212	12'	33-27/32"	78-1/8"	17.2	70.0

††Designed for one or two person jobs. Note: When used as a double stepladder, the maximum load per side, including person and materials, shall not exceed the duty rating of ladder.

DIMENSIONS

Top: 8-1/4" x 13"
Steps: 3" wide
Rails: 3-1/8" wide
Flange: 1-3/16" wide

Product Certifications



AMERICAN NATIONAL STANDARDS INSTITUTE

PRODUCT LINES MEET OR EXCEED ANSI CODE

Fiberglass Ladders	A14.5 (1992)
Aluminum Ladders	A14.2 (1990)
Wood Ladders	A14.1 (1994)
Ladder Jacks	A10.8 (1988)
Extension Planks	A10.8 (1988)



OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION CODE

All Type II, I and IA fiberglass, aluminum and wood ladders, ladder jacks and extension planks meet or exceed code. OSHA CODE applies to ladders used in the workplace. Werner Ladder Co. recommends Type II or heavier duty rated ladders for these applications.



UNDERWRITERS LABORATORY CODE

SERIES COMPLY WITH U.L. STANDARDS AS NOTED:

Aluminum Ladders	All Series
Ladder Jacks	All Series
Aluminum Extension Planks	All Series
Fiberglass Ladders	NO U.L. STANDARDS

NOTE: No ANSI, OSHA or U.L. Standards have been written for attic ladders for overhead access.



All Werner fiberglass ladders have electrically non-conductive rails. This is a great benefit for those working near electricity. Fiberglass rails also maintain a smooth surface even after weathering.



Werner ladders are proudly made in U.S.A.

CORPORATE HEADQUARTERS

Werner Ladder Co.
93 Werner Road
Greenville, PA 16125-9499
Tel. (724) 588-8600 • FAX (724) 588-0315

How to Place an Order

Call our Customer Service Department at (724) 588-8600 from 8:00 AM to 5:00 PM (EST), Monday through Friday or FAX your order to (724) 588-0315.

Note: All Special Order items are designated with a double asterisk (Example: 7516-2**)

Table of Contents

Series Page No.

Fiberglass Stepladders

5900 / 5900S Series	1
P5900 Series (Platform Ladders)	1
6002 Model (Step Stool)	2
6000 / 6000S Series	2
T6000 Series (Twin Stepladders)	3
PT6000-4C Series (Stockr's Ladders®)	3
T6202 Model (Step Stool)	4
6200 Series	4
7200 Series	5
7400 Series	5
PT7400-4C Series (Stockr's Ladders®)	6
T7200 Series (Twin Stepladders)	6
T7400 Series (Twin Stepladders)	7
P7400 Series (Platform Ladders)	7
Comparison Chart	8
E7400 Series (Trestle Ladders)	9
7800 Series (Step/Extension Ladders)	9

Fiberglass Extension Ladders

D5900-2 Series	10
D6000-2 Series	10
D6200-1 / D6200-2 Series	11
7100-1 / 7100-2 Series	11
D7100-2 Series	12
D7500-2 Series	12
Comparison Chart	13

Werner Co. – the world's leading manufacturer

Werner is a state-of-the-art fully integrated manufacturer and distributor of fiberglass, aluminum and wood climbing products. Control of every step of the manufacturing process ensures quality and allows flexibility to serve the needs of our customers.

Standard of the Industry

Werner ladders are made to last. Our products are backed by over 50 years of product design, testing and evaluation experience. We begin with the best quality raw materials and expertly manufacture those materials into high-strength ladders designed to perform year after year. We convert raw materials, such as aluminum ingot and fiberglass rovings, into the side rails, rungs and other parts used to make ladders, stages, scaffolds and accessories.




All Werner ladders are designed and manufactured to the same rigorous quality standards and with a common goal of building the safest climbing equipment possible. Our products are designed and manufactured to meet or exceed OSHA and ANSI requirements.



Werner offers ladders made from fiberglass, aluminum and wood.

Fiberglass

Werner was the driving force behind the development of fiberglass ladder products. Fiberglass ladders have become the leading choice for both consumers and professionals due to their great value, appearance and suitability for a wide range of applications. Werner uses a proprietary process to manufacture fiberglass reinforced ladder rails. Glass rovings and structural glass mat are impregnated with a thermoset resin and then pulled through a temperature-controlled die to create finished ladder rail. Fiberglass pultrusions are made in numerous colors, are electrically and thermally non-conductive and have excellent structural and weathering properties. Werner's equipment is designed in-house specifically for ladder rail production to offer the best quality and control.



Technologically Advanced Material:

Multiple layers of uni-directional glass rovings and multi-directional glass structural mat create the strong, durable Werner fiberglass rail.

